# FUJIRYÖKI CYBER-RELAX EC-3700

## **USER MANUAL**

For Home Use

Be sure to read this manual thoroughly in order to ensure

proper use. In particular, make certain to read the section.

## **"IMPORTANT SAFETY INSTRUCTIONS"**

Keep this manual in safe place so that it can be found easily.

## FUJI MEDICAL INSTRUMENTS MFG. CO., LTD.

# Contents

IMPORTANT SAFETY INSTRUCTIONS	. 1
Before Use	. 5
Name and Functions of Components	10
Before Starting Massage	12
How to Adjust the Chair	13
How to Use the Auto Mode Course	16
How to Use the Quick Mode	21
How to Adjust during Massaging with Auto Mode Course or in Quick Mode	24
How to Registration in the Memory2	29
Basic Massaging Movements	32
How to Use the Mecha. (knead balls) Massage Functions	33
How to Adjust during the Movement of Mecha. (knead balls) Massage Functions	36
How to Use Air-massaging Functions	39
How to Use Twisting Massage Functions	40
How to Use Air-massage Functions for Shoulders/Arms	41
How to Make Adjustment while in Air-massage	43
How to Combine Air-massage with Mecha. (knead balls) Massage	45
When Changing the Massage on the Way	49
Other Functions	53
Maintenance and Storage	55
Q & A	56
Trouble-shooting	57
Specifications	59

(Effect and Efficacy) Substitution of professional masseur

- Recovery from fatigue
- Promotion of blood circulation
- Removal of muscular fatigue
- Relief of muscular stiffness
- Alleviation of neuralgia or muscular pain
- Thank you for your purchasing of Massage Chair EC-3700.
- Read this manual carefully beforehand to use the product properly.
- After reading through, keep this manual at a safe place where you can consult whenever it is necessary.

When using an electrical appliance, basic precautions should always be followed, including the following: Read all instructions before using this appliance.

## **DANGER** To reduce the risk of electric shock:

- 1. Always unplug this appliance from electrical outlet immediately after using and before cleaning.
- Improper connection of the equipment-grounding conductor can result in a risk of electric shock.
   Check with a qualified electrician or serviceman if you are in doubt as to whether the product is properly grounded.

Do not modify the plug provided with the product - if it will not fit outlet, have a proper outlet installed by a qualified electrician.

## **WARNING** To reduce the risk of burns, fire, electric shock, or injury to persons:

- An appliance should never be left unattended plugged in. Unplug from outlet when not in use, and before off parts.
- Do not operate under blanket or pillow.
   Excessive heating can occur and cause fire, electric shock, or injury to persons.
- 3. Close supervision is necessary when this appliance is used by, on, or near children, invalids, or disabled persons.
- Use this appliance only for its intended use as described in this manual.
   Do not use attachments not recommended by the manufacturer.
- 5 Never operate this appliance if it has a damaged cord or plug, if it is not working properly, if it has been dropped or damaged, or dropped into water. Return the appliance to a service center for examination and repair.
- 6. Do not carry this appliance by supply cord or use cord as a handle.
- 7. Keep the cord away from heated surfaces.
- 8. Never operate the appliance with the air openings blocked. Keep the air openings free of lint, hair, and the like.
- 9. Never drop or insert any objects into any opening.
- 10. Do not use outdoors.
- 11. Do not operate where aerosol (spray) products are being used or where oxygen is being administered.
- 12. To disconnect, turn all controls to the off position, then remove plug from outlet.


## WARNING

### 13. Grounding Instructions

This product must be grounded. If it should malfunction or breakdown, grounding provides a path of least resistance for electric current to reduce the risk of electric shock. This product is equipped with a cord having an equipment-grounding conductor and a grounding plug. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

This product is for use on a nominal 120-volt circuit, and has a grounding plug that look like the plug illustrated in sketch A. A temporary adapter that looks like the adapter illustrated B and C may be used to connect the plug to a 2-pole receptacle as shown in sketch B if a properly grounded outlet is not available. The temporary adapter should be used only until a properly grounded outlet (sketch A) can be installed by a qualified electrician. The green colored rigid ear, lug, or the like extending from the adapter must be connected to a permanent ground such as a properly grounded outlet box cover.

Whenever the adapter is used, it must be held in place by a metal screw.



### **GROUNDING METHODS**

Save these instructions

### 14. Massager is intended for Household Use Only.

15. Be sure to check that there is not anybody (children in particular), pet or obstacle behind prior to inclining the Backrest.

Otherwise, it may result in a cause of injury or trouble.

16. Be sure to check that there is not anybody (children in particular), pet or obstacle behind prior to lowering the Footrest.

Otherwise, it may result in a cause of injury.

17. Be careful not to operate the Backrest with the cord wound on the main unit, or with the cord hooked to the other obstacle.

Otherwise, the unreasonable force may be applied to the cord, probably resulting in a cause of fire or electric shock.

18. Be careful not to put the hand into the clearance at the underside of Backrest or to the clearance between the Backrest and Armrest.

Otherwise, it may result in a cause of injury.

## WARNING

19. Do not attempt to stand on the Armrest, Footrest or Backrest.

Otherwise, the massager may fall down, resulting in injury.

20. Do not use the massager on the head, arm, knee or abdomen. As well as, do not put your hand or leg between knead ball.

Otherwise, the user may feel sick or an injury may occur.

- 21. Do not attempt to plug/unplug the power plug with wet hands. Otherwise, it may result in injury or electric shock.
- 22. When the cover cloth is broken (when the built-in mechanism is exposed), do not use such massager, but send it for repair.

Otherwise, it may result in a cause of accident, or injury.

23. Never attempt to disassemble the massager. Do not allow any personnel other than repair engineer to disassemble or repair the massager.

Otherwise, it may result in a cause of fire, electric shock or injury.

- 24. (1) The following persons should not use the chair (for fear of the possible occurrence of physical disorder.)
  - Those who are advised by a physician not to get a massage; for example, those with thrombosis (embolism), severe aneurysm, acute varicosity, dermatitis or skin infections (including inflammations of subcutaneous tissue).
  - (2) The following persons should consult a physician before use.
    - Those having a medical electronic device embedded in the body such as a pace-maker susceptible to the electromagnetic interference.
    - Those with malignant tumors.
    - Those with heart diseases.
    - Those under unstable conditions of pregnancy or after childbirth.
    - Those with sensory disturbance caused by peripheral vascular disorder such as diabetes.
    - Those with injuries.
    - Those in need of repose.
    - Those with a body temperatures of 38°C or more (in pyrogenetic condition); for example, at the time of the manifestation of acute inflammatory symptoms such as malaise, chill, anisopiesis, or when under weak conditions.
    - Those with osteopolosis, fractured vertebra or acute pains.
    - Those with abnormality in the backbone (vertebra) or with the backbone bent to left or right.
    - Those with inflammatory diseases such as sprain or muscle strain.
    - Those with herniated disk.
    - Those with any abnormality on the body or under medical treatment.
- 25. If sickness or pain is felt during use, stop using the massager and consult a doctor immediately. Otherwise, it may result in injury.

## WARNING

26. Attempt to use the massager up to 15 minutes for each use. Limit the use of massager at one point, up to 5 minutes.

Otherwise, the use of massager at one point for a long time continuously may result in adverse effect.

27. Check the knead ball position for the sake of safety before leaning on the massager slowly.Do not twist the body, but lean on the massager straight, so that the backbone is located at center of knead ball.

Otherwise, leaning on the massager abruptly may injure the backbone or result in injury.

- 28. Do not pull the cord, but the plug, when unplugging the massager. Otherwise, the electric shock or short-circuit may occur, resulting in fire.
- 29. **Do not use the massager with bare skin.** Otherwise, it may result in a cause of injury.
- 30. Do not move the massager with a person on it.Otherwise, the massager may fall down.
- 31. After use, be sure to set the POWER switch to [OFF] position. Otherwise, it may result in accident or injury due to child's mischief.
- Do not attempt to pull the Back Pad forcibly or hang from the Back Pad.
   Otherwise, the Back Pad may come off, probably resulting in injury or broken massager.
- 33. Do not attempt to damage, bend, pull, twist, or bundle the cord forcibly.Otherwise, the cord may break, resulting fire or electric shock.
- 34. Do not use the massager on other than the designated voltage. Otherwise, it may result in a cause of fire or electric shock.
- 35. Do not use the massager in the bathroom, or places where humidity is high. Otherwise, it may result in electric shock or damage.
- 36. When the massager becomes inoperative, disconnect the power plug immediately for prevention of accident, and ask the sales agent for inspection/repair information. Otherwise, it may result in fire due to electric shock, leaking current, short circuit, etc.
- 37. Switch the power [OFF] instantly at the time of power failure, as well as pull the power plug out from the socket.

Otherwise, it would become dangerous at the time of power comeback.

38. Be careful not to fall asleep during massage.


Otherwise, it may result in a cause of accident or injury.

- 39. Do not use the massager with other medical instruments (excluding foot type massager).Otherwise, it may result in an accident or injury.
- 40. Place the massager main unit at a level floor surface. Otherwise, if it is placed at an unstable place, it may fall down, probably resulting in a cause of injury.
- 41. The maximum permissible weight of the massager is 100 kilograms. Do not use the massager with those who weigh more than 100 kilograms.

Otherwise, an accident may happen or damage to the machine may result.


# **Before Use**

## Take out the main body and the accessories from the box.



### How to assemble and fold the backrest.

Raise the backrest to the arrow direction, and make sure that the stopper (encircled) is locked, when a click sound can be heard.



Be careful not to have hands or fingers pinched between the armrest and the backrest. Press down the stopper (encircled) to the arrow direction, and turn the backrest slowly forward.

- \* Be careful not to turn the backrest quickly.
- \* The backrest cannot be turned when it is equipped with the shoulder unit and the arm unit.




When using the stopper, be careful not to touch any part other than the encircled.


# **Before Use**

## How to install the arm unit.

1. Install the arm unit with the backrest at the upright position. *∥ ∥ ∧ ∥* 



 Press down the arm unit until a click sound can be heard.




### Attention

Install the other arm unit at the opposite side in the same manner. To remove it, take the procedure as illustrated at the right side. 2. Insert the arm unit convex into the hole of the armrest.



\* When removing the arm unit, insert the hexagonal wrench in the hole. Pull it upward while pressing the button.



Make sure that the arm unit is installed tightly. Should air leak, or should the arm unit drop down, trouble or accident may happen.

## How to install the shoulder unit.

1. Install the shoulder unit with the backrest at the upright position.



3. Fix the shoulder unit with the mounting screws at 2 places.


1199 71799 7		Mounting screws In tightening the mounting screw, use fingers first until it reaches the innermost. When you find it difficult to tighten it, try to press the shoulder unit with hand. With the screw at
	M.	with hand. With the screw at the innermost, fix it with the hexagonal wrench.
Attention		exagonal wrench for the noulder unit
ALIENTION	-	

# Install the other arm unit at the opposite side in the same manner. In removing it, take the reverse procedure of installation.

2. Insert the shoulder unit convex and the air joint into the hole of the backrest.



4. Cover the surface with the shoulder cap.




## 

Make sure that the arm unit is installed tightly. Should air leak, or should the shoulder unit drop down, trouble or accident may happen.

## How to install the back pad and the pillow.

Install the back pad on the zipper of the backrest.

1. Install the back pad.



Install the pillow on the velcro tape of the back pad. 2. Install the pillow.

Pillow

- Velcro tape
- When massaging, place the pillow behind.
- If you feel massaging strength strong, use the pillow.
- When not massaging, use the chair as the recliner with the back pad and the pillow installed.




### CAUTION

Before use, tuck up the back pad to make sure that there is no tear on the cover cloth of the backrest and on the other parts. (Should there be any tear, no matter how small it is, discontinue using the chair immediately, disconnect the power cord plug, and ask for repair.) Continued use with the cloth torn may cause electric shock or any hazard on the body.

## How to install the remote controller stand.

The remote controller stand is usually designed to be installed at the left side. Should it need to be installed at the right side, take the procedure as detailed in the next page.




## How to replace the remote controller stand.

<In case the remote controller stand, after being installed, needs to be replaced from left to right side.>

### Introductory Note


- Remove the pillow and the back pad (see Page 7).
- Remove the remote controller from its stand. Then, remove the shoulder unit and the arm unit, and turn the backrest forward (see Page 5, 6 and 7).




Rubber cord grip


<In case the remote controller stand is installed at the right side from the first, take the following procedures starting 1.>

- 1. Remove the rubber cord grip behind the arm rest. 1
- 2. Remove the remote controller cord from its cord grip. 2




- 3. Hang the remote controller cord on the cord grip at the opposite side. ③
- 4. Adjust the position of the rubber cord grip so that the cord may not loosen, and insert the grip into the hole of the armrest. ④






Attention

- The cord may snap if it loosens.
- 5. Raise the backrest. Then, install the arm unit and the shoulder unit (see Page 6).
- 6. Install the remote controller stand at the right-side armrest, and adjust an angle of the remote controller holder (see Page 7).
- 7. Install the pillow and the back pad (see Page 7).






## Where to place the chair.

Place the chair on a level surface with enough space around.

- Attention: With the backrest reclined backward, the footrest goes up. Keep space of 70cm or more ahead and 60cm or more behind.
- ■Attention: The chair may damage the floor. Spread a mattress for protection.
- Attention: Avoid placing the chair at the place exposed to the direct ray of the sunshine for long hours every day or at the place of high temperature, e.g. close to a heater. The cover cloth may discolor or change in quality.



### How to move the chair.


Lift up the front side of the chair, and push it forward.




- Do not move the chair with a person or any object seated on it to avoid the possible upset.
- Do not move the chair with its casters, or do not drag it on the floor not to damage the floor surface.
- Do not hold the seat, the footrest or the shoulder unit to move the chair.
- Be careful when lifting up the front side of the chair; it is very heavy.




# Name and Functions of Components






## MASSAGING POSITION



# Name and Functions of Components

## REMOTE CONTROLLER



# **Before Starting Massage**

### Power ON.

Connect the power cord plug with the receptacle.

## Power ON.


- The power switch is behind the left armrest.
- After power ON, the LCD in the initial stage displays the screens as shown on the right side alternately.

## 

Do not use the massager on other than the designated voltage.

Do not use the chair when the power cord or its plug is damaged, or when the receptacle is loosened.

It could electric shock, short circuit or fire.



## Check items.

### Check around the chair.

① Check to make sure that there is nobody, no pet and nothing ahead and behind the chair and under the footrest.

<Standby position>

Press the output button to start massage. Then, the footrest automatically comes up at about 50°.


Be sure to check that there is nothing around.

### Check the main body itself.


- Hold up the back pad, and check to make sure that the cover cloth of the backrest is not torn and that there is no tear in any other parts.
  - Should there by any tear, no matter how small it is, discontinue using the chair immediately.
     Disconnect the power cord plug, and contact your dealer for repair.
- ② Check to make sure that none of the power cord, the remote controller cord or any other materials is pinched in the main body.
- ③ Check to make sure that there is no damage in the power cord, remote controller cord and the power cord plug and that nothing of dust (e.g. pins) is attached to the plug.



- ④ Before seated on the chair, make sure where there are the knead balls.
  - The knead balls are usually located at the stored position (in the innermost at the lower part of the backrest)




- ⑤ Before seated on the chair, make sure where there is the footrest.
  - Do not be seated forcibly with the footrest at the upright position. Such attempt may result in injury. Press the FOOTREST v button or the em button.
     \* Press the em button. Then, the backrest is also stored.




# How to Adjust the Chair

## How to use the RECLINER.



**Attention:** When reclining the backrest while in massage, turn it little by little backward, taking the massaging strength into consideration.

# How to Adjust the Chair



# How to Adjust the Chair

## How to get the footrest going forward or coming backward.





- The backrest is raised by about 132°, and the footrest comes backward down to the lowest position.
- \* The [RESET] function is available only when the LCD is in an initial stage.
  - The backrest does not move up completely, stopping halfway.

FOOTREST

▼

RECLINER

.

BACK

▲ <u>r</u> ↓ ↓ ↓ ↓

◂◪►

FORWARD

To raise it up completely, press the RECLINER 🚺 button.

## **Introductory Note**

- After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.
- When changing an Auto mode course to another Auto mode course, or when changing non- Auto mode course massage to any Auto mode course (see Page 49).

FUJIIRYÖKI

(1) (2) (3) (M)

AIR

MENU

RESET

◂◪►

FORWARD BACK

HEIGHT ADJUSTMENT

STOP

FUNCTION

▼

ARM

RECLINER

▼

ON/OFF

o auto

REPEAT

SKIP


SHDR

rwist

FOOTREST

V

23



## Press the ON/OFF button.

- The footrest automatically comes up to the standby position. (Press the stop button to interrupt this movement.)
- The standby screen comes out.
- Be deeply seated on the chair, and recline yourself slowly with your head on the backrest.



# Press the AUTO button. Or, select "AUTO" with the button, and press the ENTER button.

- All of the Auto mode course are displayed.
- \* Even if the web button remains not to be pressed, this function starts 5 seconds later.

(The same holds good of this procedure.)




# **3** Select a desired course with the .

• button or


- the AUTO button, and press the ENTER button.
- Select one out of the 5 courses of "WHOLE BODY", "SHOULDER", "WAIST", "STRETCH" and "7MIN".
- There are 4 sub-courses in the "WHOLE BODY" course, and 3 sub-courses each in the "SHOULDER" and "WAIST" courses.





The course name selected is displayed. When the Auto mode course starts, a process of detecting your body shape also starts.

· When the "7MIN" course is selected, the process of detecting your body shape is not taken.




- In the process of detection, the detection points 5 In the process of detection, the detection levels each of the points are indicated with the detection indicator.
  - When nobody is seated on the chair, or when nothing can be detected, a message "CANNOT DETECT BODY SHAPE" comes out on the LCD. In this case, press the (AUTO) button again, and try to detect the body shape again.





- - With the body shape detection completed, the knead balls move to the shoulder position as determined.
- Should you feel the shoulder position not in good fitness, finely adjust its position as desired. While a beep sound is caused, press the 🕢 button for adjustment, and press the (ENTER) button.
  - · At this time, the knead balls can be moved forward or backward button for adjustment. Massage is made with the with the knead balls at the position adjusted for "NECK RELAX", "EXTREME KNEAD" and "EXTREME TAPPING" in the Auto mode course. (This massage is available only for the "REJUVENATE" course of "WHOLE BODY" and "SHOULDER" courses.)




- Fine adjustment of the shoulder position can be made with the HEIGHT ADJUSTMENT 

   v
   buttons.
- Press the ON/OFF button and detect your body shape. Your body shape is kept in memory until the massage is completed. To change your body shape in memory, press the ON/OFF button, and finish the massage. Then, start all over again.
- B When the allowance time for fine adjustment of the shoulder position is counted up, a message "POINT NAVI FINISHED" is displayed.







Your back contour line is displayed.



# 10 The Auto mode course in progress is displayed on the LCD.





## For your information:

### What is POINT NAVI?

- POINT NAVI is a function available only in the Auto mode course which measures your body shape and posture before massage is started.
- With your contour back line in memory, effective massage can be given.


### What options are available in the Auto mode course?

• Twelve options are selectable in the Auto mode course in combination of body regions and massaging modes.

	<rejuvenate> Cover whole part</rejuvenate>	<refresh> Slow</refresh>	<relax> Gentle</relax>	<air> Air-massage only</air>	<stretch></stretch>
(WHOLE BODY) course <approx. 15="" min=""> Massage the whole back.</approx.>					
(SHOULDER) course <approx. 15="" min=""> Massage the neck and shoulders intensively.</approx.>					
(WAIST) course <approx. 15="" min=""> Massage the waists intensively.</approx.>					
(STRETCH) course <approx. 15="" min=""> Stretch the whole body</approx.>					
(7 MIN) course The (WHOLE BODY) course is shortened compactly in a course of about 7 minutes.					

\* 7 MIN course does not have the body shape detection.


· Following illustration shows only the outline for quick reference. Also, the air massage and the lower body are abbreviated.



# How to Use the Quick Mode

## What is quick mode?

· You can select any one of the pre-programmed Auto mode courses adjusted to a standard body shape each divided by body height. This quick mode is recommendable to you for quick start, as the POINT NAVI function is not available in it.



- $(1) \cdots$  For the height of about 155 cm (5' 1")
- $(2) \cdots$  For the height of about 165 cm (5' 4")
- $(3) \cdots$  For the height of about 175 cm (5' 7")
- (M) ··· You may change some of the pre-programmed Auto mode courses, and keep them in memory for your own custom use (see Page 29).

The initial value is set for those with the height of 168cm (5' 5").

## **Introductory Note**

2

2

 After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.

FUJIIRYÖKI

AIR

์MENU

HEIGHT ADJUSTMENT

STOP

FUNCTION

▼

ARM

RECLINER

V

BACK

**?** → i( ▲ )

RESET

◂);;;; FORWARD

ON/OFF

AUTO

REPEAT

SKIP


SHDR

TWIST

FOOTREST


▲ )

• When changing a quick mode option to another, or when changing non-quick mode massage to any quick mode option (see Page 50).



### Press ON/OFF button.

- The footrest automatically comes up to the standby position. (Press the **stop** button to interrupt this movement.)
- The standby screen comes out.




Press any of the 1 2 3 or M buttons. Or, select any of the "1" "2" "3" or "M" buttons with the ( button, and press the (ENTER) button.

• A list of all the Auto mode course is displayed.







# How to Use the Quick Mode



# How to Use the Quick Mode







✓ When the knead balls are positioned around shoulders or back, press the HEIGHT ADJUSTMENT ▲ or ▼ buttons, and press the wree button.


• The shoulder position is adjustable with the HEIGHT

ADJUSTMENT ( ) or V buttons pressed once, and then even with the vent with the vent with the vent button pressed as well. At this time, the knead balls can be moved forward or backward with the vent button for adjustment. Massage is made with the knead balls at the position adjusted for "RELAX NECK", "EXTREME KNEAD" or "EXTREME TAPPING" in the Auto mode courses. (This massage is available only for the "REJUVENATE" course of "WHOLE BODY" and "SHOULDER" courses.)



24






## **7** To turn [LEG STRETCH] ON or OFF.

Press the MENU button.

Select [LEG STRETCH] with the button, get a list of all the functions displayed with the button, select a desired function, and then press

the enter button.

- Move the footrest forward. If the angle of the footrest is still low, wait for a while until it comes up. Then, the massage starts.
- Both [LEG STRETCH] and [COMBO FOOTREST] functions do not work at the same time.
- [LEG STRETCH] is initially set at "ON" .
- With [FOOT AIR] OFF, turn [LEG STRETCH] ON. Then, [FOOT AIR] is also turned ON.



- AIR STRENGTH is adjustable in 5 steps.
- Strength is initially set at the step 3.


STOP

- The strength can be adjusted with the ( ) button.
- The function of getting the footrest going forward or coming backward is not available when the footrest is positioned at 25° or less.

STOP

STOP

• In a range of 25°- 50°, the length of going forward varies.





**8** To turn [FOOT AIR] ON or OFF. Press the web button. Select [FOOT AIR] with

the (•) button, select either "ON" or "OFF"

also with the button, and then press the button.

- [FOOT AIR] is initially set at "ON" .
- With both [FOOT AIR] and [COMBO FOOTREST] ON, turn [FOOT AIR] OFF. Then, [COMBO FOOTREST] is also turned OFF.
- With both [FOOT AIR] and [LEG STRETCH] ON, turn [FOOT AIR] OFF. Then, [LEG STRETCH] is also turned OFF.





### **9** To repeat the present in-progress massage. Press the REPEAT button.

- The present in-progress massage is repeated for more 30 seconds.
- \* The air-massage has no repeating function.
- \* While in the repeated massage, press the REPEAT button. The massage is repeated again for more 30 seconds.
- \* While in the repeated massage, press the skip button. The repeating function is reset.




## To proceed to another course.

Press the **SKIP** button.


- With the present in-progress massage discontinued, you can proceed to another course.
- \* The air-massage has no skipping function.






**13** To adjust the strength of arm air-massage or to stop it. Press the ARM button once, and then press it again repeatedly for desired strength. Then, press the ENTER button.

- Massaging strength is adjustable in 3 steps.
- Strength is initially set at the step 2.
- After the ARM button is pressed once, massaging strength can be adjusted with the button as well.
- \* While in arm air-massage, do not wear a watch or other metallic accessories.





# How to Registeration in the Memory

## What can be done by registration?

• You may change some of the preprogrammed Auto mode courses, and can have your own custom-use options registered in the memory.


### What can be registered in the memory?


- Information on the body shape (POINT NAVI, shoulder position, waist position)
- · Positions when using the SKIP/REPEAT functions
- Auto mode course selected
- Air options (ON/OFF functions each of PULSE, COMBO FOOTREST, STRETCH/FOOT STRETCH/DOUBLE STRETCH, ARM KNEAD/ARM GRASP, SHDR and LEG)
   (Note)
- \* Registration cannot be made on the mecha. massaging strength of the knead balls, the air-massage strength and the air-massage strength of shoulders/arms. Make adjustment on them every time when you use the chair.
- \* Air options can be registered as the final stage each of the courses.

## **Introductory Note**

• After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.








## Press the ON/OFF button.


- The footrest automatically comes up to the standby position. (Press the store) button to interrupt this movement.)
- The standby screen comes out.



## ) Р


### Press the M button for 2 seconds.

• Displayed are how to register in the memory and a list of all the Auto mode courses.




# How to Registeration in the Memory

Select any desired Auto mode course, and



### 30


# How to Registeration in the Memory



### **One-point advice!**

You can select another Auto mode course option with the information on your body shape and the information on air-massage option as such.


## With the Auto mode course completed, a display for registration in memory comes out






## **5** Select "YES". Registration starts. With the message "Finished" on the LCD, the process of registration is completed.

\* During the process of registration in memory, do not turn the power OFF. Otherwise, the registration function may be disabled.





• With the registration completed, press the M button in the Quick Mode (see Page 21), and start massage. Massage is made in the manner as registered.

### Example

A series of massage courses starts with the information on your body shape kept in memory: KNEAD UP

- "REFRESH" course of "SHOULDER"
- · Mecha. Strength "4"
- · Air Strength "3"
- SHOULDER Strength "STOP"
- ARM KNEAD strength "2"
- LEG STRETCH "OFF"
- PULSE "OFF"
- Skip "3D TAPPING" coming 5 minutes later
- Repeat "WAVELET" coming 9 minutes later
- SHOULDER REFRESH

Next KNEAD DOWN

⊕ Mecha. Strength 4 ⊖Air Strength 3

ARM KNEAD 2

- \* Registration cannot be made of the mecha. (knead balls) massage strength and the air-massage strength.
- \* Air options can be registered as the final stage each of the courses.

### With the registration in memory completed, 6 the knead balls automatically return to the stored position.

- · What was registered in memory needs to be changed (overwritten), start all over again as instructed on Page 29.
- What was registered in memory needs to be deleted, see "Other Functions" ("To delete the registration in memory") on Page 53.

# **Basic Massaging Movements**

## Mechanical massage using the knead balls

### (KNEAD UP)

Knead and relieve muscles from bottom to top. (KNEAD DOWN)

## Knead and relieve muscles from top to bottom. (TAPPING)

Rhythmically repeated tapping removes muscular fatigue.

### (WAVELET)

Fine combination of kneading and tapping alleviates fatigue.

### (RUBBING)

Gently rubbing muscles as if massaged with palms.

### (DEEP KNEAD UP)

Knead and relieve muscles deeply from bottom to top.

### (DEEP KNEAD DOWN)

Knead and relieve muscles deeply from top to bottom.

#### (SHIATSU)

Relieve stiffness intensively at one place.

#### (NECK RELAX)

Relieve stiffness around the neck.

### (EXTREME KNEAD)

Relieve around the shoulders from upward sufficiently

### (EXTREME TAPPING)

Relieve around the shoulders from upward with rhythmical tapping sufficiently.

#### (WAIST/HIP MASSAGE)

Relieve stiffness intensively around the waists.

#### (EXTREME KNEAD WAIST)

Knead around waists sufficiently

### (EXTREME TAPPING WAIST)

Rhythmically tapping around the waists sufficiently.

### (ROLLING)

Roll over the back, and stretch it out.

#### (STRETCH)

Push the back from bottom, and stretch it out. (STRETCH KNEAD UP)

Push muscles from bottom, and relieve them.

#### (STRETCH TAPPING)

Muscles are tapped repeatedly rhythmically and pushed from bottom.

#### (STRETCH WAVELET)

With the fine combination of knead and tapping, muscles are pushed up from bottom.

### (3D KNEAD UP)

Relieve muscles from bottom to top in combination with stereoscopic back-and-forth movements.

### (3D KNEAD DOWN)

Relieve muscles from top to bottom in combination with stereoscopic back-and-forth movements.

### (3D TAPPING)

Relieve muscles with rhythmical tapping in combination with stereoscopic back-and-forth movements.

### (3D WAVELET)

Massages with stereoscopic back-and-forth movements in addition to fine movements of knead and tapping.

### Air-massage

### (LEG)

Massage the soles, ankles and calves sufficiently.

### (THIGH/HIP)

Push up the thighs and hips alternately from behind.

### (WAIST)

Massage the waists as if they were wrapped. **(BACK)** 

Massage shoulder bones as if they were pushed out.

### (SHOULDER)

Massage around the shoulders, and relieve fatigue.

### (ARM)

Massage around the arms and relive fatigue.

### (PULSE)

Massage in quick pulsation at a high frequency with the air bag inflated.

#### (COMBO FOOTREST)

Massage the calves simultaneously with other regions.

#### (LEG STRETCH)


Stretch feet with the footrest going downward, and massage the calves and thighs with the inflated air-bag behind.


\* "COMBO FOOTREST" does not work simultaneously with "Air-massage of the shoulders/arms".

## How to Use the Mecha. (knead balls) Massage Functions

## **Introductory Note**


- After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.
- When changing a mecha. massage option to another mecha. massage option, or when changing Auto mode course/quick mode massage to any mecha. massage option (see Page 51).
- When combining air-massage with mecha. massage (see Page 47).





### Press the ON/OFF button.

- The footrest automatically comes up to the standby position. (Press the stop button to interrupt this movement.)
- The standby screen comes out.




## Press the FUNCTION button. Or, select "FUNCTION" with the button, and then press the ENTER button.

- A list of all the functions is displayed.
- \* Even if the button remains not to be pressed, this function starts 5 seconds later.
   (The same holds good of this procedure.)


KNEAD UP	NECK RELAX			
KNEAD DOWN	EXTREME KNEAD			
RREAD UP	EXTREMETAPPING			
RREAD DOWN	ROLLING			
TAPPING	WAIST 🗏			
WAVELET	STRETCH 🗐			
SHIATSU	3D 🗏			
RUBBING				
Select (), then ENTER				

## How to Use the Mecha. (knead balls) Massage Functions



# B Select a desired function with the button or the FUNCTION button, and press the ENTER button.

 To select "WAIST", "STRETCH" or "3D", move the cursor on "WAIST", "STRETCH" or "3D", press the 
 button or the
 button, select a desired function with the
 button or the
 button, and then press the (ENTER) button.




 In case of having selected "NECK RELAX", "EXTREME KNEAD", "EXTREME TAPPING" and "ROLLING", set the shoulder position first. At the same time, the back-and-forth position of the knead balls can be adjusted, only when either "NECK RELAX", "EXTREME KNEAD" or "EXTREME TAPPING" is selected.


Press the () button or the HEIGHT ADJUSTMENT ( or V to set the shoulder position. Press the () button to set the back-and-forth position of the knead balls.

 To select "EXTREME KNEAD WAIST" or "EXTREME TAPPING WAIST", adjust the waist position first. The waist position can be adjusted with the button or the or button.

 Select "ROLLING" first, Then, select one of the functions of "KNEAD UP", "KNEAD DOWN", "TAPPING" "WAVELET",



One scale: about  $2mm \ge \sqrt{}$ One scale: about 12mm = 1



One scale: about 12mm


"RUBBING", "DEEP KNEAD UP", "DEEP KNEAD DOWN", "SHIATSU", "STRETCH" or "3D".

You can have massage of "ROLLING" combined with one of these functions.


### How to Use the Mecha. (knead balls) Massage Functions




- The knead balls move to the stored position.
- With the knead balls stored, the initial display comes out on the LCD.








### How to Adjust during the Movement of Mecha. (knead balls) Massage Functions




\* In case massage was in progress in the mode of "NECK RELAX", "EXTREME KNEAD" or "EXTREME TAPPING" or "ROLLING", the shoulder position does not have to be set, as was already set.

### How to Adjust during the Movement of Mecha. (knead balls) Massage Functions



#### To adjust the height of massaging part (POINT/PART). Adjust the height of massaging position with the HEIGHT ADJUSTMENT or button. · The height of massaging position can be adjusted when either "POINT" or "PART" is selected. To adjust the shoulder position and the back-and-forth position while in massage of "NECK RELAX", "EXTREME KNEAD" and "EXTREME TAPPING". Press the HEIGHT ADJUSTMENT (A) or (V) button once. Then, a screen for adjustment comes out. Adjust the shoulder position with the button or the HEIGHT ADJUSTMENT (▲) or (v) button, and adjust the back-and-forth position of the knead balls with the button.



One scale: about  $2mm \ge 1$ One scale: about 12mm —

# 5 To adjust the waist position in "EXTREME KNEAD WAIST" and "EXTREME TAPPING WAIST".

Press the HEIGHT ADJUSTMENT or button once. Then, a screen for adjustment comes out. Adjust the waist position with the




or 💌 button.



One scale: about 12mm -

### How to Adjust during the Movement of Mecha. (knead balls) Massage Functions



2	To adjust mecha. (knead balls) massaging				
U	speed.				
	Press the MENU button, select "SPEED" with				
	the button, select "SLOW" or "FAST" with				
	the button, and press the button.				
	* This function is available for "KNEAD UP", "KNEAD DOWN", "TAPPING", "WAVELET", "RUBBING", "DEEP KNEAD UP", "DEEP KNEAD DOWN, "STRETCH KNEAD UP" "STRETCH TAPPING" and "STRETCH WAVELET".				
	FUNC. ADJUSTMENT SPEED SLOW TO FAST WIDTH WARKOW NORMAL LARGE PART FOINT PART WHOLE Select (), then (INTER)				

### 7 To adjust mecha. (knead balls) massaging width.


Press the (MENU) button, select "WIDTH" with the

button, select [ "NARROW"/ "NORMAL"/

"LARGE" ] the ( ) button, and press the even

button.

\* This function is available for "TAPPING", "SHIATSU", "ROLLING", "STRETCH", "STRETCH TAPPING" and "3D TAPPING".




## How to Use Air-massaging Functions

#### **Introductory Note**

- After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.
- When changing an air-massage option to another air-massage option, or when changing Auto mode course/quick mode massage to any air-massage option (see Page 52).
- When combining mech. massage with air-massage (see Page 45).









## How to Use Twisting Massage Functions

#### **Introductory Note**

- After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.
- When combining mecha. massage with air-twisting massage (see Page 46).
- While in Auto mode course massage, even if the "TWIST" button is pressed, no reaction is attained.






### How to Use Air-massage Functions for Shoulders/Arms


#### Introductory Note

- After power on, the LCD in the initial stage displays the screens as shown on the right side alternately.
- When combining air-massage of shoulders/ arms with mecha. massage or air-massage (see Page 46).



#### Press the ON/OFF button.

- The footrest automatically comes up to the standby position. (Press the **stop** button to interrupt this movement.)
- The standby screen comes out.



#### **9** To do air-massage of shoulders.


- Press the super button once, and then press it again repeatedly for desired strength. Then, press the super button.
  - \* Even if the twice button remains not to be pressed, this function starts 5 seconds later. (The same holds good of this procedure.)
  - SHOULDER AIR STRENGTH is adjustable in 5 steps.
  - Strength is initially set at the step 3.


• After the SHDR button is pressed once, massaging strength

can be adjusted with the  $( \frown )$  button as well.


- \* While in shoulder air-massage, the back air bag is inflated.
- \* While in shoulder air-massage, massaging strength of the knead balls may be on the increase.
- \* While in shoulder air-massage, wear something to protect shoulders not to expose them.








### How to Use Air-massage Functions for Shoulders/Arms



To select arm air-massage [ "ARM KNEAD"/ "ARM GRASP"] Press the Arm button, and select [ "ARM KNEAD"/ "ARM GRASP" ] with the button.

Then, press the enter button.


- Arm air-massage is initially set at "ARM KNEAD" .
- The function selected is reversed.




### **4** To adjust the strength of arm air-massage or to stop it.

Press the ARM button once, and then press it again repeatedly for desired strength. Then, press the ENTER button.


- Massaging strength is adjustable in 3 steps.
- Strength is initially set at the step 2.
- After the ARM button is pressed once, massaging strength can be adjusted with the ( ) button as well.
- \* While in arm air-massage, do not wear a watch or other metallic accessories.



**5** When the function selected is completed, a message "Storing" is displayed.




### How to Make Adjustment while in Air-massage



Select 🕥, then ENTER

Select 🔘, then ENTER


## How to Make Adjustment while in Air-massage



### at 25° or less.

#### AIR OPTION AIR OPTION DOUBLE STRETCH PULSE ION OFF► PULSE FOOT STRETCH COMBO FOOTRES COMBO FOOTREST on **off** STRETCH LEG STRETCH LEG STRETCH STOP Select 🕥, then ENTER Select 🔿, then ENTER DOUBLE STRETCH DOUBLE STRETCH DOUBLE STRETCH DOUBLE STRETCH FOOT STRETCH FOOT STRETCH FOOT STRETCH FOOT STRETCH STRETCH STRETCH STRETCH STRETCH STOP STOP STOP


When the function selected is completed, a message "Storing" is displayed.



#### • This step prevents the chair from starting movement even with the remote controller operated inadvertently.

After use, turn the power switch OFF.

STOP



### CAUTION

After use, be sure to turn the power switch OFF. Misuse by a child may cause accident.

#### To do air-massage of "LEG STRETCH".


Press the (MENU) button. Select [LEG STRETCH]

with the (•( button, get a list of all the functions displayed with the ( button, select a desired

#### function, and then press the (ENTER) button.

- · Move the footrest forward. If the angle of the footrest is still low, wait for a while until it comes up. Then, the massage starts.
- · Both [LEG STRETCH] and [COMBO FOOTREST] functions do not work at the same time.
- [LEG STRETCH] is initially set at "STOP".
- With [FOOT AIR] OFF, turn [LEG STRETCH] ON. Then, [FOOT AIR] is also turned ON.
- AIR STRENGTH is adjustable in 5 steps.
- Strength is initially set at the step 3.
- The strength can be adjusted with the ( button.
- · The function of getting the footrest going forward or coming backward is not available when the footrest is positioned
- In a range of 25°- 50°, the length of going forward varies.


### How to Combine Air-massage with Mecha. (knead balls) Massage




\* When pressing the web button to adjust any function while in combination massage, a screen as shown on the right side comes out.



### How to Combine Air-massage with Mecha. (knead balls) Massage



### How to Combine Air-massage with Mecha. (knead balls) Massage



Select 🕥, then ENTER

Select 🕥, then ENTER

SREAD UP

RNEAD DOWN

**3D** TAPPING

3D WAVELET


NECK RELAX EXTREME KNEAD EXTREME TAPPIN

ROLLING

WAIST 🗏

STRETCH 🗐

3D




 In case of having selected "NECK RELAX", "EXTREME KNEAD", "EXTREME TAPPING" and "ROLLING", set the shoulder position first. At the same time, the back-and-forth position of the knead balls can be adjusted, only when either "NECK RELAX", "EXTREME KNEAD" or "EXTREME TAPPING" is selected.

Press the (


HEIGHT ADJUSTMENT or **v** to set the shoulder position. Press the

button to set the back-and-forth position of the knead balls.

- In case of having selected
   "EXTREME KNEAD WAIST" or
   "EXTREME TAPPING WAIST, set the waist position. Press the 
   button or the HEIGHT ADJUSTMENT 
   or 
   to set the waist position.
- After selecting "ROLLING", select either "KNEAD UP", "KNEAD DOWN",




One scale: about 2mm → \ One scale: about 12mm ──




One scale: about 12mm

"TAPPING", "WAVELET", "RUBBING", "DEEP KNEAD UP", "DEEP KNEAD DOWN", "SHIATSU", "STRETCH" or "3D". You can have a wide variety of massages combined with "ROLLING".

#### **3** The function selected starts.





• To adjust massaging functions, see the following instructions: As to "How to Adjust during the Movement of Mecha. (knead balls) Massage Functions",

see Page 36.


As to "How to Make Adjustment while in Air-massage", see Page 43.

\* When pressing the (MENU) button to adjust any function while in combination massage, a screen as shown on the right side comes out.


FUNC AIR OPTION
SPEED SLOW □□ FAST ►
WIDTH NARROW NORMAL LARGE
PART <b>POINT</b> PART WHOLE
PULSE <b>ON OFF</b>
COMBO FOOTREST ON OFF
STRETCH STRETCH
¥

· Even while having an Auto mode course massage,

you can change to another massage.




\* After 30 consecutive minutes, the massage stops.



• Even while having an Auto mode course massage, you can change to another massage.

15 more minutes.\* After 30 consecutive minutes, the massage stops.

· Even while having an Auto mode course massage,




• When changing a mecha. (knead balls) massage option to another mecha. (knead balls) massage option, the timer function is in continuation.

button

- · When changing an Auto mode course option to a mecha. (knead balls) massage option, or when changing a quick mode option to a mecha. (knead balls) massage option, the timer is reset at this time, and the massage continues for 15 more minutes.
- After 30 consecutive minutes, the massage stops.


· Even while having an Auto mode course massage,

you can change to another massage.



- When changing an Auto mode course to an air-massage option, or when changing a quick mode option to an air-massage option, the timer is reset at this time, and the massage continues for 15 more minutes.
- \* After 30 consecutive minutes, the massage stops.


## Other Functions




#### **Introductory Note**


 In the initial stage after power on, the following screen are displayed alternately on the LCD display.


power OFF. The registration cannot be deleted completely.






\* When the registration is deleted, the human sign over the "M" button in the standby screen is dim.





## **Other Functions**



### **2** For "Child lock on"

- The "Child lock on" function is useful to preventing children from doing erroneous operation. It disables all the functions of buttons.
- In the initial stage, press both the (REPEAT) and SKIP buttons at the same time for 2 seconds. The buzzer beeps, and the "Child lock on" screen appears on the display.
- This message is on display while the remote controller is under the "Child lock on" conditions.
- To release the "Child lock on", take the same procedure of the above (1) or turn the power switch OFF.




### ${f 3}$ To turn ON the Backlight.

- When you cannot read the remote controller LCD in darkness, turn ON the Backlight.
- In the initial stage, press the *MENU* button for 2 seconds.

The buzzer beeps, and the Backlight is turned ON.

• To turn OFF the Backlight, take the same procedure of the above ① or turn the power switch OFF.




## **Maintenance and Storage**

Main Body: Cover cloth, back pad, pillow and seat pad (made of PVC leather)

Attention: Wipe the PVC leather first with a cloth dipped in neutral detergent, then with a cloth dipped in water, and then with a dry cloth. Thereafter, leave it to be air-dried. (Be careful not to overuse neutral detergent. It may damage the PVC leather.) Wipe the coated surface with a dry cloth.

Attention: Keep the chair away from high temperature, high humidity and dust.



or deterioration of the chair.

## Q & A

Q1	There is difference in strength between left and right. Massaging position appears not to be aligned with left and right not in parallel. Why?	<b>Q</b> 8	Those with less than 150cm(4'9") or with more than 185cm(6'1") in height can use the chair, can't they?
Α	A mechanism is used to allow the two knead balls tapping alternately for making massage comfortable. As a result, a small gap may be produced in the position between them, and it may give rise to different massaging strength.	A	<ul> <li>Yes, they can. There is a possibility that the body shape may not be properly detected at the shoulder position, even if it is finely adjusted. Be advised as follows:</li> <li>Those who are not tall Put the backrest at the upright position, and raise the footrest.</li> <li>Those who are tall Recline the backrest, and lower the footrest.</li> </ul>
	This phenomenon does not come from the trouble of the chair.	Q9	My arm does not reach the armrest. How can I do so?
Q2	Is there any way to strengthen the massage strength?	Α	Put the backrest at the upright position, and adjust the arm position.
Α	<ul><li>Try to:</li><li>Recline the backrest.</li><li>Remove the back pad.</li></ul>	Q10	After having air-massage of the shoulders and the arms, the skins turn red. Why?
	<ul> <li>Be deeply seated, and put your body weight on the backrest.</li> <li>Adjust the massage strength to be stronger.</li> </ul>	Α	A trace of massage may persist on the shoulders and the arms. This is nothing but a result of the treatment. It gradually fades away. In having air-massage of the shoulders, be sure to wear
Q3	The remote controller stand is unstable. Why?		something to protect shoulders not to expose them.
Α	Try to: Tighten the fixing screws again. Should the remote controller holder be unfastened, loosen the fixing screws first, and then tighten them. Check to make sure that the remote controller stand is not unfastened. If so, tighten it with a hexagonal wrench.	Q11	The shoulder position does not fit in with me, even after my body shape is detected. Why?
		Α	After body shape is detected, the knead balls ought to move to the shoulder position as preprogrammed. If the shoulder position still does not fit in with you, make fine adjustment of the shoulder position.
Q4	The footrest does not fit in with my legs. Why?	Q12	Can the chair be used with the shoulder unit and
Α	Put the footrest forward or backward for adjustment. If you are not tall, try to put the backrest at the upright position, and raise the footrest.	Α	the arm unit removed? No, you cannot. With the air suction/exhaust ports exposed, dust comes inside, and may cause
Q5	I am a patient under the treatment at a hospital.		trouble in the chair.
Α	Is there no problem in using the chair? Please get your physician's advice. Massage relieves the muscles' stiffness by giving pressure,	Q13	In the process of the "DOUBLE STRETCH" or "FOOT STRETCH" massage, the chair occasionally makes a "bang" sound. Why?
	and promotes blood circulation. As it may have adverse effects in certain diseases, be sure to consult your physician.	Α	Indeed a "bang" sound may occur, but it is not trouble of the chair. Mechanically, the electromotive actuator is designed to be separable from the footrest. When the actuator retracts with
Q6	Is there no problem in placing a hot carpet under the chair?		the legs held by the foot air bags, the footrest is separated from it momentarily. This sound occurs
Α	Never do so. Fire may outbreak. The heat element, if damaged, may cause fire.		at this moment.
07	The footrest does not come up automatically to the	Q14	In the process of the Auto mode course, is it possible to nullify the air-massage function?
A	standby position. Why? When the footrest is positioned at an angle higher than 55°, it does not come up to the standby position, even if the over button is pressed.	Α	No, it is not. Adjustable in the process of the Auto mode course are "PULSE", "COMBO FOOTREST", "LEG STRETCH" and "FOOT AIR" only.

56

## **Trouble-shooting**



Absolutely do not modify, disassemble or repair by yourself. Negligence may cause fire or mechanical trouble of the chair which may result in hazard on the body.



You may encounter the following phenomena while in massage. As being due to the mechanical design, they have nothing to do with the product life.

- A "clatter" noise occurs when the knead balls go up and down.
- A "creak" noise of the gear and the motor occurs while in massage.
- A friction noise occurs when the knead balls rub the cover cloth (particularly while in the process of knead.)
- A rattling noise occurs while in the "TAPPING" or "WAVELET" massage (particularly when the massage moves from the shoulders to the back).
- In the "KNÉAD", "TAPPING" or "WAVELET" massage, massaging speed may vary with the knead balls' strength changed.
- A noise becomes different when the massaging speed is changed.
- A roaring noise of the motor occurs when load is given to the chair.
- A "cuckoo" noise occurs while, in the Auto mode course, the knead balls are automatically adjusted to the back-and-forth position to have the chair fitting in with the user's body shape.
- The compressor's noise and the air exhausting noise occur while in air-massage.
- A noise occurs when the air bag is inflated.
- A screaming noise occurs while in massage of the shoulders.
- A grinding noise occurs when the backrest is reclined.
- The knead balls are not aligned in parallel between left and right. (A mechanism is used to allow the two knead balls tapping alternately. As a result, a small gap may be produced in the position between them. This phenomenon is not due to the trouble of the chair.)

Symptoms	Check points	Trouble-shooting	Refer to Page
The chair does not	Is the power cord plug connected?	Connect the power cord plug with the receptacle.	10, 12
start up.	Is the power switch turned OFF behind the armrest?	Turn the power switch ON.	10, 12
The chair stops halfway. (The	Is the backrest in touch with the wall or the like?	Move the chair away from the wall or the like. Turn the power switch OFF behind the armrest, and then turn it ON.	9, 10, 12
remote controller does not work.)	Is there any load given to the knead balls? (Should there be any load given to the knead balls, a safety mechanism works to stop all the functions.)	Raise your body off the backrest, turn the power switch OFF behind the armrest, and then turn it ON. To restart, press any function button.	10, 12
The backrest	Is the power cord plug connected?	Connect the power cord plug with the receptacle.	12, 13, 14
cannot be reclined.	Is the backrest in touch with the wall or the like?	Move the chair away from the wall or the like.	9, 13, 14
Service receptacle cannot use.	Is the power supply fuse turned OFF?	Replace the fuse.	10

## **Trouble-shooting**

#### Attention:




When part of your body or something is pinched, by accident, between the knead balls and the seat while in massage or while the knead balls are moving, the protect function runs. The knead balls go up a little, and then stop. At this stage, displayed on the LCD is the following message: "Protect function" "Switch on Power then over ". Eliminate the causal factors, and following this instruction, turn the power switch OFF and ON.



The following message may be displayed on the LCD: "ERROR" "Switch on Power then over ". In this case, following this instruction, turn the power switch OFF and ON.

\* Should the chair not work even with the above steps taken, or should the same symptoms be repeated, turn the power switch OFF, disconnect the power cord plug from the receptacle, and contact your dealer.

#### Inspection



For prevention of accident or trouble, turn the power switch OFF, disconnect the power cord plug with the receptacle, and contact your dealer.

Attention: When using the chair after long storage, check to make sure that it operates properly.

#### After-sale service

When any abnormal condition persists after checking in accordance with Page 57, stop the use, disconnect the power cord plug from the receptacle and consult your dealer.

• For any other questions.

If you have any questions regarding the after-sale services including the repair during the warranty period, etc., please contact your dealer.

• Time for retention of functional parts for repair

Functional parts for repair of this massage chair are retained for six years after the termination of manufacture.

The functional parts mean the parts, which are necessary to maintain the functions of product.

### Specifications

Product name		Massage chair
Model No.		EC-3700
Generic name		Electric massage chair for home use
	Power supply (50/60 Hz)*	(Varies from country to country.)*
Deting	Rated time	30 min.
Rating	Power consumption (50/60 Hz)	115 W
	Rated voltage	AC110V / 120V / 220V /230V / 240V
Mechanical	Knead	3-step adjustment (approx. 20-30 cycles/min)
(knead balls)	Tapping	3-step adjustment (approx. 270-650 cycles/min)
massage speed	Up and down	Approx. 4.9 cm/sec.
Air pressure for air-massa	age	Approx. 36kPa
Mecha. (knead balls) mas	ssage strength	7-step adjustment
Air-massage strength		5-step adjustment
Arm air-massage strength	1	3-step adjustment
Shoulder air-massage str	ength	5-step adjustment
Auto-timer		Approx. 15 min
Reclining angle	Backrest	Approx. 120 - 170°
	Footrest	Approx. 0 - 75°
Dimensions	Backrest not reclined	750 W × 1,240 D × 1,210 H (mm)
	Backrest reclined	750 W × 2,010 D × 780 H (mm)
Weight		Approx. 86kg
Cover cloth		PVC leather

\* Do not use the massager on other than the designated voltage.

Nation	Voltage	
Taiwan	110V	
Canada	120V	
USA	120V	
Hong Kong	220V	
India	220V	
Italy	220V	
Russia	220V	
Sweden	220V	
Thailand	220V	
Turkey	220V	
Czech	230V	
UK	230V	
Finland	230V	
France	230V	
Germany	230V	
Greece	230V	
New Zealand	230V	
Singapore	230V	
Malaysia	240V	

## MEMO

### MEMO

# FUJIIRYōKI

### FUJI MEDICAL INSTRUMENTS MFG. CO., LTD.